



Daily Staff Huddle Reminder:
Value of Chlorhexidine and Iodophor for Patients

- Tell patients:
 - This bath and nasal product will protect them from infection during their hospital stay
 - Chlorhexidine is more protective than soap and water
 - Nasal iodophor removes “staph” – a common bacteria that lives in the nose and causes a wide range of serious infections



Daily Staff Huddle Reminder:
Value of Chlorhexidine and Iodophor for Patients

- Tell patients:
 - This bath and nasal product will protect them from infection during their hospital stay
 - Chlorhexidine is more protective than soap and water
 - Nasal iodophor removes “staph” – a common bacteria that lives in the nose and causes a wide range of serious infections



Daily Staff Huddle Reminder:
Importance of Bathing on Admission

- Admission bathing is one of the most important times to bathe to get rid of germs being brought into the hospital
- Newly admitted patients can bring in germs, including multi-drug resistant organisms
- Bathing patients on admission not only protects but also protects the unit, keeping all patients clean



Daily Staff Huddle Reminder:
Importance of Bathing on Admission

- Admission bathing is one of the most important times to bathe to get rid of germs being brought into the hospital
- Newly admitted patients can bring in germs, including multi-drug resistant organisms
- Bathing patients on admission not only protects them but also protects the unit, keeping all patients clean



Daily Staff Huddle Reminder: Cleaning Wounds and Devices

- Do not forget wounds and devices! Cleaning them prevents surface bacteria from diving into the body and causing infection.
- Clean **ALL devices** - lines, tubes, drains - within 6 inches of the body
- Clean **ALL wounds** unless deep or packed
- Patients likely will be uncomfortable cleaning wounds & devices. Staff **SHOULD HELP** clean them
- Staff: use additional cloths or wipes with 2% CHG to clean patient's wounds and devices after showering



Daily Staff Huddle Reminder: Cleaning Wounds and Devices

- Do not forget wounds and devices! Cleaning them prevents surface bacteria from diving into the body and causing infection.
- Clean **ALL devices** - lines, tubes, drains - within 6 inches of the body
- Clean **ALL wounds** unless deep or packed
- Patients likely will be uncomfortable cleaning wounds & devices. Staff **SHOULD HELP** clean them
- Staff: use additional cloths or wipes with 2% CHG to clean patient's wounds and devices after showering



Daily Staff Huddle Reminder: Incontinence Clean Up

- **DO NOT** use CHG cloths or disposable wipes with 2% CHG liquid to clean up incontinence. Use only to apply to skin after soilage removed
- Clean soiled area with other wipes/cloth and water first, then use **SINGLE** CHG packet or disposable wipes with 2% CHG liquid for reapplication
- An additional full bath (head to toe) is not needed after incontinence clean up
 - CHG works for at least 24 hours to protect patient
 - Residual CHG from last bath or shower will still protect patient



Daily Staff Huddle Reminder: Incontinence Clean Up

- **DO NOT** use CHG cloths or disposable wipes with 2% CHG liquid to clean up incontinence. Use only to apply to skin after soilage removed
- Clean soiled area with other wipes/cloth and water first, then use **SINGLE** CHG packet or disposable wipes with 2% CHG liquid for reapplication
- An additional full bath (head to toe) is not needed after incontinence clean up
 - CHG works for at least 24 hours to protect patient
 - Residual CHG from last bath or shower will still protect patient



Daily Staff Huddle Reminder:
Iodophor Administration

- Iodophor helps get rid of “staph” and MRSA which are known to cause infection
- Iodophor should be applied twice daily for 5 days to all adult patients according to the hospital’s every other week schedule
- Like CHG bathing, the goal is to start iodophor on admission since patients may be bringing in germs into the hospital



Daily Staff Huddle Reminder:
Iodophor Administration

- Iodophor helps get rid of “staph” and MRSA which are known to cause infection
- Iodophor should be applied twice daily for 5 days to all adult patients according to the hospital’s every other week schedule
- Like CHG bathing, the goal is to start iodophor on admission since patients may be bringing in germs into the hospital