



Shared
Healthcare
Intervention to
Eliminate
Life-threatening
Dissemination of MDROs

Frequently Asked Questions Nasal Iodophor

What is iodophor and how safe is it?

Iodophor is another name for “povidone-iodine,” which is an over-the-counter antiseptic that is most known for its use in cleaning scrapes, cuts, and wounds and preventing infections. It is also FDA cleared for use in the nose. Povidone-iodine is an over-the-counter antiseptic product. It has been used in healthcare for over 60 years. Nasal iodophor has been used in thousands and thousands of patients prior to surgery, in ICUs, and in nursing homes as a way to prevent MRSA and methicillin-sensitive *Staphylococcus aureus* (MSSA) infection. Side effects from iodophor are uncommon, mild and resolve with discontinuation. They may include nasal irritation, runny nose, and sneezing. As with any product, rare serious allergic reactions can occur.

What is the purpose of putting it in the nose?

Iodophor removes germs that commonly live in the nose, including methicillin-resistant *Staphylococcus aureus*, or MRSA. Many studies have shown that nursing home residents are much more likely to harbor MRSA than people in the community or patients in hospitals. In fact, recent data across many nursing

homes have shown that over 40% of nursing home residents harbor MRSA. Because having MRSA in the nose is a known risk factor for later infection, our nursing home has decided to adopt the use of iodophor for our residents to prevent transmission and infection.

Is decolonization a proven strategy?

Yes. Use of chlorhexidine baths and nasal decolonization has been proven in large clinical trials to reduce MRSA and other bacteria and prevent infection. This has been shown in hospital ICUs and in post-discharge nursing home settings.

Why are we giving iodophor instead of mupirocin?

Iodophor has many advantages over mupirocin. First, it is an antiseptic product, not an antibiotic. Second, there is evidence that it is better tolerated than mupirocin. Third, mupirocin resistance has been reported throughout the U.S. and can be common in nursing homes.

What if the resident wants to blow their nose after application?

Residents should be told to blow their nose before the application to help clear the nasal area. They should be encouraged not to blow their nose immediately after application for best effects.

Is it okay to provide decolonization if my resident is not alert?

This routine decolonization regimen of chlorhexidine soap plus nasal iodophor can be approved as a standing nursing protocol which is covered in the resident's admission agreement as usual care. It would be provided with MD order. While residents are able to refuse, all residents who are unable to refuse will be provided this as the facility's standard of care.

If my resident refused the last iodophor dose, am I supposed to offer it again?

This protective regimen should be encouraged among residents. If a resident refused their medication, staff would try to encourage the resident to take it at a later time. Similarly, if a resident refused a bath, staff would try to encourage a bath at a later time. Staff need to assess whether the resident is refusing at this

time (e.g. tired, in pain, irritable), or whether the resident is refusing all further doses and if the resident understands the reason and the value of the iodophor (e.g. to prevent infection due to MRSA and other bacteria).

My resident left our nursing home, but has been readmitted. Do they need to receive iodophor again?

Yes. Regardless of prior receipt, iodophor should be administered each time a resident is admitted to your nursing home to ensure residents are protected for their entire stay.

What if the resident develops a reaction?

Similar to all quality improvement interventions, if a problem arises, it should be brought to the attention of the treating nurse and physician, who will decide all necessary actions related to discontinuing product and ordering any medications to address the reaction.

